



Fig. 1



Year	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

Figure 2



[illegible]

Figure 1 is a screenshot of a graphical user interface (GUI) for a 'Wizard' application. The interface is divided into several sections. At the top, there's a 'Wizard' title bar. Below it, a 'State' field shows 'TCP-110'. To the right, there are checkboxes for 'Starting State', 'Ending State', and 'Caution'. A large text area contains the question 'Is configuration simplex or duplex?'. Below this, there are two large text input fields labeled '156a' and '156b'. To the right of these fields are buttons for 'Duplex', 'Simplex', 'Previous State', and 'Next State'. Further right, there are buttons for 'New Answer', 'Apply Answer', 'Delete Answer', and 'Generate HTML'. At the bottom, there are buttons for 'Back', 'Next', 'Refresh', and 'Sync Main Form'. The interface is annotated with numerous numerical labels (102, 104, 106, 108, 140, 142, 144, 150, 150a, 154, 154a, 154b, 160, 160a, 162, 170) pointing to various UI elements.

Procedure we're working with:

proc 1

State Name:

2

Question Type:

List

List

Range

String

Access ID

Object ID

IP Address

Date

Time

Answer

Just quit

Just quit

want?

States: 3

Starting State

Ending State

Type

H

M

State ID

3

Answer (ie. Variable) Name

Next States

Next State

3

Next Procedure

proc 1

proc 1

additional info (see Edit Answer)

Previous States

Previous Answer

OK

Previous State

1

Previous Procedure

proc 1

New State

Delete State

Edit State

Apply State

New Answer

Delete Answer

Edit Answer

Apply Answer

Generate HTML for this Procedure

Generate HTML for All Procedures

Refresh

Back

Next

Sync Main Form

Quit

Click to Go to State

name text

1 What is your name?

3 Goodbye.

Fig. 4
66755-0107-000




Fig. 4a

WizBang Generic Wizard

File Help

What is your name?

Don

OK

Restart Back

☒ Debug

H:\Apog\VB5\Wizgen\SimpleWiz\junk.mdb

Procedure proc 1 Step Name: 1 of 3

Language English

Help New procedure Quit

2100

225

226

Fig. 5

proc	name	ss	default state	text	local type	URL	terminal
1	Step 2	50	No	Great! Say OK.	H		No
1	Step 3	60	No	Hit me again	H		No
1	Step 4	80	No	You said OK. All right!! Now, hit Yes, and I'll take you to the end.	H		No
1	start	30	Yes	Are you ready to rock?	H	http://whspider.wh.luc ent.com/~pwg/index. html	No
1	UnknownState	40	No		H		Yes

300

Fig. 6

410 420 430 440 450

id	from state	event	to state	id	url
1	start	Maybe	3A	51	0
1	start	Yes	3A	51	0
4	Step 4	Yes	8Y	61	0
3	start	No	3A	61	0
6	Step 3	You asked for it	6H	81	0
2	Step 2	OK	5C	81	0

a b c d e f

400

Fig. 7





Fig. 8

400a



410a

420a

430a

460a

4006



4106

4206

4506

Fig. 10
400c





Fig. 11

FIG. 11



410d

450d

460d

Fig. 12





Fig. 13
500a



510a

520a

530a

560a

Is fault LED lit on board labeled ACUR?

No

Yes

Restart

Back

More Info

Help

Quit

Procedure: pinac?

Step: Step?

Language English

Fig 14

667300-0409750

5106

5206

5506


5606

9005

51.8°F, 009 ~

Fig. 16

500c



510c


520c

530c

560c

Fig. 17

500d



510d


520d

550d

560d

Fig. 18

500e



510e You are done with this procedure

550e Procedure (Proc2)

Step: Step5

Language English

560e

Fig. 19

6367600" 6367600" 6367600"




Fig 20

